

**SECTION 1 - IDENTIFICATION OF THE PRODUCT AND THE COMPANY**

<b>PRODUCT NAME</b>	<b>SUROX<sup>®</sup> 46-727</b>	<b>TELEPHONE</b>	870-572-2935
<b>MANUFACTURER</b>	Syrgis Performance Initiators, Inc.	<b>CHEMTREC (24hr) (USA)</b>	800-424-9300
<b>ADDRESS</b>	334 Phillips 311 Rd., Helena, AR 72342	<b>(Maritime/International)</b>	703-527-3887
<b>CHEMICAL NAME</b>	Cumyl Hydroperoxide	<b>CAS NO.</b>	See section 2.
<b>CHEMICAL FAMILY</b>	Organic Peroxide - Hydroperoxide	<b>CHEMICAL FORMULA</b>	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>

**SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

<u>COMPONENTS</u>	<u>CAS NO.</u>	<u>%</u>
Cumyl Hydroperoxide	80-15-9	80 - 90
Cumene	98-82-8	2 - 15.5
α,α-Dimethylbenzyl alcohol	617-94-7	4 - 8
Acetophenone	98-86-2	0.5 - 1.5

**SECTION 3 - HAZARD IDENTIFICATION OF THE PREPARATION**

<b>PHYSICAL HAZARDS</b>	Organic Peroxide. Decomposition.
<b>HEALTH HAZARDS</b>	Severe Irritant.
<b>EXPOSURE LIMITS</b>	TLV is 50 ppm for Cumene, Not established for cumyl hydroperoxide.
<b>ROUTES OF EXPOSURE</b>	
<b>Skin Contact</b>	Prolonged exposure may cause irritation and blistering.
<b>Eye Contact</b>	Eye contact may cause damage.
<b>Ingestion</b>	Ingestion may cause severe irritation and burns of the stomach lining.
<b>Inhalation</b>	Prolonged inhalation causes headaches and throat irritation.
<b>EFFECTS OF OVER-EXPOSURE</b>	There are no known medical conditions which are recognized as being aggravated by exposure.

**SECTION 4 - FIRST-AID MEASURES**

<b>Skin</b>	Immediately remove any contaminated clothing. Wash contaminated area thoroughly with soap and copious amounts of water for at least 15 minutes. If irritation or adverse symptoms develop, seek medical attention.
<b>Eyes</b>	Remove any contact lenses at once. Flush eyes with water for at least 15 minutes. Ensure adequate flushing by separating the eyelids with fingers. If irritation or adverse symptoms develop, seek medical attention.
<b>Ingestion</b>	<b>Do Not</b> induce vomiting. Drink plenty of water. Immediately call a physician. For aid to physician, suggest local Poison Control Center.
<b>Inhalation</b>	Remove to fresh air, if coughing, breathing becomes labored, irritation develops or other symptoms develop, seek medical attention at once, even if symptoms develop several hours after the exposure.

**SECTION 5 - FIRE-FIGHTING MEASURES**

<b>FLASH POINT</b>	>162°F (72°C)
<b>FLAMMABLE LIMITS</b>	Not established
<b>AUTOIGNITION POINT</b>	Unknown
<b>EXTINGUISHING MEDIA</b>	Water spray, dry chemical, foam, or carbon dioxide.
<b>SPECIAL FIRE FIGHTING PROCEDURES</b>	Fireman should be equipped with protective clothing and SCBA's. In case of fire near storage area, cool the containers with water. Fight fires from a safe distance of from a protected location.
<b>UNUSUAL FIRE AND EXPLOSION HAZARDS</b>	Exposure of containers to fire results in rapid product decomposition, container pressure buildup and failure, followed by vigorous burning with flare effect. Cleanup should not be attempted until all of the product has completely cooled.

**SUPEROX<sup>®</sup> 46-727****SECTION 6 - ACCIDENTAL RELEASE MEASURES**

<b>STEPS TO BE TAKEN IN EVENT OF SPILL OR RELEASE</b>	Remove sources of ignition. <i>Small spills:</i> Absorb in a non-combustible absorbent, such as clean sand, calcium carbonate, or soda ash. Shovel into clean, dry, covered steel drums. Dispose of promptly. <i>Large spills:</i> Dike to contain and pump into clean, dry, covered steel drums for disposal. Dispose of promptly.
---	---

**SECTION 7 - HANDLING AND STORAGE**

<b>HANDLING</b>	Rotate stock using the oldest material first. Avoid contact with skin, eyes and clothing. Use PPE as specified in Section 8. Keep containers closed to prevent contamination. Keep away from sources of heat, sparks or flame. Do not add to hot solvents or monomers as a violent decomposition and/or reaction may result. When using spray equipment, never spray raw CHP onto curing or into raw resin or flues. Keep CHP in its original container. <b><u>DO NOT USE NEAR FOOD OR DRINK.</u></b> Wash thoroughly after handling.
<b>STORAGE</b>	The stability of CHP formulations is directly related to the shipping and storage temperature history. Cool storage at 80°F (27°C) or below is recommended for longer shelf life and stability. Prolonged storage at elevated temperatures of 100°F (38°C) and higher will cause product degradation, gassing and potential container rupture which can result in a fire and/or explosion. Store out of direct sunlight in a well ventilated area away from combustible and incompatible materials. <b><u>DO NOT STORE WITH FOOD OR DRINK.</u></b> Refer to NFPA 432 Code for the Storage of Organic Peroxide Formulations from the National Fire Protection Association for additional storage information.
<b>OTHER PRECAUTIONS</b>	Unmixed, uncontaminated material, remaining at the end of the day, shall be returned to a proper organic peroxide storage area. Under no circumstances should material be returned to the original container.

**SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION**

<b>VENTILATION</b>	Mechanical, general.
<b>RESPIRATORY PROTECTION</b>	If airborne concentrations are expected to exceed acceptable levels wear a NIOSH approved air-purifying respirator with an organic vapor cartridge or canister. When using respirators refer to OSHA's 29CFR 1910.134.
<b>EYE PROTECTION</b>	Safety goggles recommended. Permanent eyewash is highly recommended.
<b>HAND PROTECTION</b>	Protective gloves recommended, solvent resistant, such as butyl rubber, nitrile or neoprene.
<b>OTHER</b>	A safety shower and eyewash is recommended when the risk of a significant exposure exists.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>APPEARANCE AND ODOR:</b>	Colorless to pale yellow liquid with a sharp, aromatic odor.	<b>SPECIFIC GRAVITY:</b>	1.0
<b>BOILING POINT:</b>	N/A Decomposes.	<b>FLASH POINT:</b>	162°F (72°C)
<b>VAPOR PRESSURE:</b>	13.9 at 20°C	<b>FLAMMABLE LIMITS:</b>	Not established.
<b>VAPOR DENSITY:</b>	5.4	<b>SADT:</b>	>60°C
<b>EVAPORATION RATE:</b>	0.06	<b>pH:</b>	Not applicable.
<b>% VOLATILE BY VOLUME:</b>	2% at 20°C		
<b>SOLUBILITY IN WATER:</b>	Slightly soluble in water.		

**SECTION 10 - STABILITY AND REACTIVITY**

<b>STABILITY</b>	Stable when kept in original, closed container, out of direct sunlight at temperatures below 80°F (27°C).
<b>CONDITIONS TO AVOID</b>	Contamination. Direct sunlight. Open flame. Prolonged storage above 100°F (38°C). Storage above SADT. Storage near flammable or combustible materials.
<b>MATERIALS TO AVOID</b>	Acids and acidic-type materials such as Friedel-Crafts catalysts, oxidizing and reducing agents, oxidation catalysts, polymerizing initiators. Lead, aluminum, copper, copper alloys, and zinc-galvanized materials.

**SUPEROX<sup>®</sup> 46-727**

<b>HAZARDOUS DECOMPOSITION PRODUCTS</b>	Ketones, alcohols, methane, and ethane. Under acidic decomposition conditions, phenols may also be formed. Combustion products include carbon monoxide, carbon dioxide, and generation of smoke.
<b>HAZARDOUS POLYMERIZATION</b>	Will not occur.

**SECTION 11 - TOXICOLOGICAL INFORMATION****Cumyl Hydroperoxide****Hazard Data:**

**Inhalation:** Mouse & Rat--LC<sub>50</sub>: 200 ppm/4 hr, lung, thorax, or respiration: dyspnea.

**Intraperitoneal:** Rat--LD<sub>50</sub>: 95 mg/kg, behavioral: muscle weakness behavioral: ataxia; Mouse--LD<sub>50</sub>: 270 mg/kg.

**Oral:** Rat--LD<sub>50</sub>: 382 mg/kg, kidney, ureter, and bladder: hematuria.

**Skin:** Rat--LD<sub>50</sub>: 500 mg/kg.

**Subcutaneous:** Rat--LD<sub>50</sub>: 382 mg/kg; Mouse--LD<sub>50</sub>: 490 mg/kg.

**Cumene****Hazard Data:**

**Inhalation:** Rat--LC<sub>Lo</sub>: 8000 ppm/4 hr; Mouse--LC<sub>50</sub>: 10 gm/m<sup>3</sup>/7 hr, multiple effects kidney, ureter, and bladder: changes in both tubules and glomeruli, blood: changes in spleen.

**Oral:** Rat--LD<sub>50</sub>: 1400 mg/kg, gastrointestinal: gastritis; Mouse--LD<sub>50</sub>: 12750 mg/kg.

**Skin:** Rabbit--LD<sub>50</sub>: 12300 µL/kg.

**α,α-Dimethylbenzyl alcohol****Hazard Data:**

**Oral:** Rat--LD<sub>50</sub>: 1300 mg/kg; Mouse--LD<sub>50</sub>: 1400 mg/kg.

**Skin:** Rabbit--LD<sub>50</sub>: 4300 mg/kg.

**Acetophenone****Hazard Data:**

**Inhalation:** Rat--LC: >210 ppm/8hr; Mammal--LC<sub>50</sub>: 1200 mg/m<sup>3</sup>.

**Intraperitoneal:** Mouse--LD<sub>50</sub>: 200 mg/kg.

**Oral:** Rat--LD<sub>50</sub>: 815 mg/kg; Mouse--LD<sub>50</sub>: 740 mg/kg; Mammal (unspecified)--LD<sub>50</sub>: 2700 mg/kg.

**Skin:** Rabbit--LD<sub>50</sub>: 15900 µL/kg; Guinea Pig--LD<sub>50</sub>: >20 mL/kg.

**Subcutaneous:** Mouse--LD<sub>Lo</sub>: 330 mg/kg.

**SECTION 12 - ECOLOGICAL INFORMATION**

No data is available on the preparation itself. The product should be prevented from entering drains, sewers, streams, etc.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

Contact a licensed professional waste disposal service to dispose of this material. Dispose of waste material at a RCRA approved hazardous waste management facility in accordance with federal, state and local regulations.

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state and local environmental regulations.

**SECTION 14 - TRANSPORT INFORMATION**

<b>DOT Shipping Name:</b>	ORGANIC PEROXIDE TYPE F, LIQUID (CUMYL HYDROPEROXIDE, ≤90%)
<b>DOT Hazard Class:</b>	5.2 (8)
<b>UN/NA ID No.:</b>	UN3109
<b>DOT Packing Group:</b>	PG II
<b>DOT RQ</b>	RQ (if shipping container is greater than 11.1 lbs)
<b>Labels:</b>	5.2 (Organic Peroxide), 8 (Corrosive Subsidiary Label Required)
<b>2004 ERG GUIDE NO.:</b>	145

**SECTION 15 - REGULATORY INFORMATION**

The following chemicals are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Percent</u>
Cumyl Hydroperoxide	80-15-9	80 - 90
Cumene	98-82-8	02 - 15.5

**SUPEROX<sup>®</sup> 46-727**

Acetophenone

98-86-2

0.5 -1.5

**Reportable Quantity**

alpha, alpha-Dimethylbenzylhydroperoxide (CHP): 10 lbs (4.54 kg)

**Australian Inventory of Chemical Substances (AICS)**

The ingredients in this product are listed in the Australian AICS Inventory.

**Canadian Domestic Substances List (DSL)**

The ingredients in this product are listed in the Canadian DSL Inventory.

**Chinese Inventory of Existing Chemical Substances Manufactured or Imported in China (IECSC)**

The ingredients in this product are listed in the Chinese IECSC Inventory.

**European Inventory of Existing Commercial Chemical Substances (EINECS)**

The ingredients in this product are listed in the European EINECS Inventory.

**Japanese Existing and New Chemical Substances (ENCS)**

The ingredients in this product are listed in the Japanese ENCS Inventory.

**Korean Existing Chemicals List (ECL)**

The ingredients in this product are listed in the Korean ECL Inventory.

**Philippines Inventory of Chemicals and Chemical Substances (PICCS)**

The ingredients in this product are listed in the Philippines PICCS Inventory.

**US Toxic Substances Control Act (TSCA)**

The ingredients in this product are listed in the US TSCA Inventory.

**Status of Carcinogenicity**

Not recognized as a carcinogen by the IARC, NTP or OSHA.

**SECTION 16 - OTHER INFORMATION****VOC Information**

Using ASTM Test Method D-2369-87, but at 40°C (since CHP decomposes rapidly above 100°C and is not a VOC), Superox<sup>®</sup> 46-727 contains 11.5% VOC, by weight, or 121 grams per liter. For more information, call Syrgis Performance Initiators, Inc.

**NFPA 432 Organic Peroxide Classification**

Class III

**NFPA 704 Rating**

<u>Health</u>	<u>Flammability</u>	<u>Reactivity</u>
3	2	2

**HMIS Rating**

<u>Health</u>	<u>Flammability</u>	<u>Reactivity</u>
3	2	2

**MSDS Reference:** 46-727 MSDS 0709.1**DISCLAIMER OF LIABILITY**

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.